


Adaptability Plates

SINGLE DOOR CONFIGURATION



ADAPTIBILITY PLATES	TERMINOLOGY
<p>Our entire door set range has been designed and developed around industry knowledge, construction constraints and with the end user needs at the forefront.</p>	<ul style="list-style-type: none"> • MLMF-BP Multilock Microfix Blank Plate • MLMF-DBP Multilock Microfix Dead Bolt Plate • MSEI01 - Electric Strike Infill • MSEI02 - Electric Strike blank plate • ES9000 - Electric Strike • LW-3579-HSEM0 - Electronic Mortice Lock • LW-3579-1 - Deadbolt / Nightlock • LW-3579-2 - Primary Mortice Lock • FSH-FSS1-F - Morticed Flush Mounted Sensor • FSH-FSS1-F-BP - Flush Mounted Blank Plate Infill • ULS-L2C-CM-0 - Morticed Flush Mounted Sensor • ULS-L2C-CM-0-BP - Flush Mounted Blank Plate Infill
<p>Our door sets have the buildability to suit both your architectural and wall construction needs along with the Reliability for the purpose intended.</p>	
<p>The standard door set construction method allows the end user to have the adaptability to increase the security level and performance of the door set without costly on site rectification works.</p>	
<p>Our fully tested and adjustable hardware range is always incorporated in the door sets allowing for easy upgrades and door adjustments extending the life of the door set.</p>	